ELSEVIER

General Subjects

Vol. 1427, 1999

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

Cumulative Contents

Information for Contributors vii

Regular papers

Manganese sulfate-dependent glycosylation of endogenous glycoproteins in human skeletal muscle is catalyzed by a nonglucose 6-P-dependent glycogen synthase and not glycogenin
Y. Jiao, E. Shashkina, P. Shashkin, A. Hansson and A. Katz (Sweden) 1

ESR study on the structure–antioxidant activity relationship of tea catechins and their epimers
Q. Guo, B. Zhao, S. Shen, J. Hou, J. Hu and W. Xin (People's Republic of China) 13

Amphidinolide B, a powerful activator of actomyosin ATPase enhances skeletal muscle contraction
K. Matsunaga, K. Nakatani, M. Ishibashi, J. Kobayashi and Y. Ohizumi (Japan) 24

Accurate measurement of avidin and streptavidin in crude biofluids with a new, optimized biotin–fluorescein conjugate
G. Kada, H. Falk and H.J. Gruber (Austria) 33

Rapid estimation of avidin and streptavidin by fluorescence quenching or fluorescence polarization
G. Kada, K. Kaiser, H. Falk and H.J. Gruber (Austria) 44

O-Glycosylation potential of lepidopteran insect cell lines
M. Lopez, D. Tetaert, S. Juliant, M. Gazon, M. Cerutti, A. Verbert and P. Delannoy (France) 49

Effects of microcystins on phosphorylase-a binding to phosphatase-2A: kinetic analysis by surface plasmon resonance biosensor
M. Yang, P.K.S. Lam, M. Huang and B.S.F. Wong (Hong Kong) 62

Lack of effect of carbohydrate depletion on some properties of human mast cell chymase
K. Takao, S. Takai, N. Shiota, K. Song, K. Nishimura, T. Ishihara and M. Miyazaki (Japan) 74

A novel high molecular weight fibrinogenase from the venom of *Bitis arietans*
B.R. Jennings, C.W.N. Spearman, R.E. Kirsch and E.G. Shephard (South Africa) 82

Identification, characterisation and cDNA cloning of two caseins from the common brushtail possum (*Trichosurus vulpecula*)
M.R. Ginger, C.P. Piotte, D.E. Otter and M.R. Grigor (New Zealand) 92

Interaction of 75–106 actin peptide with myosin subfragment-1 and its trypsin modified derivative
J.-P. Labbé, S. Chamayou and Y. Benyamin (France) 105

Quercetin inhibited DNA synthesis and induced apoptosis associated with increase in c-*fos* mRNA level and the upregulation of $p21^{WAF1/CIP1}$ mRNA and protein expression during liver regeneration after partial hepatectomy
K. Iwao and I. Tsukamoto (Japan) 112

Active site characterization of the exo-*N*-acetyl-β-D-glucosaminidase from thermotolerant *Bacillus* sp. NCIM 5120: involvement of tryptophan, histidine and carboxylate residues in catalytic activity
B. Amutha, J.M. Khire and M.I. Khan (India) 121

Structure of the glucan-binding sugar chain of Tip1p, a cell wall protein of *Saccharomyces cerevisiae*
T. Fujii, H. Shimoi and Y. Iimura (Japan) 133

Enzymatic properties and deduced amino acid sequence of a high-alkaline pectate lyase from an alkaliphilic *Bacillus* isolate
T. Kobayashi, Y. Hatada, N. Higaki, D.D. Lusterio, T. Ozawa, K. Koike, S. Kawai and S. Ito (Japan) 145

Induction of metalloelastase mRNA in murine peritoneal macrophages by diethylmaleate
T. Kawane, J.Q. Hou, H. Sato, Y. Sugita, S. Bannai and T. Ishii (Japan) 155

In vitro cytotoxicity of poly(amidoamine)s: relevance to DNA delivery
I.R.C. Hill, M.C. Garnett, F. Bignotti and S.S. Davis (Italy, UK) 161

Reduced glutathione accelerates the oxidative damage produced by sodium *n*-propylthiosulfate, one of the causative agents of onion-induced hemolytic anemia in dogs
O. Yamato, M. Hayashi, E. Kasai, M. Tajima, M. Yamasaki and Y. Maede (Japan) 175

ELSEVIER

General Subjects

Vol. 1427, 1999

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

Cumulative Contents

Information for Contributors vii

Regular papers

Manganese sulfate-dependent glycosylation of endogenous glycoproteins in human skeletal muscle is catalyzed by a nonglucose 6-P-dependent glycogen synthase and not glycogenin
Y. Jiao, E. Shashkina, P. Shashkin, A. Hansson and A. Katz (Sweden) 1

ESR study on the structure–antioxidant activity relationship of tea catechins and their epimers
Q. Guo, B. Zhao, S. Shen, J. Hou, J. Hu and W. Xin (People's Republic of China) 13

Amphidinolide B, a powerful activator of actomyosin ATPase enhances skeletal muscle contraction
K. Matsunaga, K. Nakatani, M. Ishibashi, J. Kobayashi and Y. Ohizumi (Japan) 24

Accurate measurement of avidin and streptavidin in crude biofluids with a new, optimized biotin–fluorescein conjugate
G. Kada, H. Falk and H.J. Gruber (Austria) 33

Rapid estimation of avidin and streptavidin by fluorescence quenching or fluorescence polarization
G. Kada, K. Kaiser, H. Falk and H.J. Gruber (Austria) 44

O-Glycosylation potential of lepidopteran insect cell lines
M. Lopez, D. Tetaert, S. Juliant, M. Gazon, M. Cerutti, A. Verbert and P. Delannoy (France) 49

Effects of microcystins on phosphorylase-a binding to phosphatase-2A: kinetic analysis by surface plasmon resonance biosensor
M. Yang, P.K.S. Lam, M. Huang and B.S.F. Wong (Hong Kong) 62

Lack of effect of carbohydrate depletion on some properties of human mast cell chymase
K. Takao, S. Takai, N. Shiota, K. Song, K. Nishimura, T. Ishihara and M. Miyazaki (Japan) 74

A novel high molecular weight fibrinogenase from the venom of *Bitis arietans*
B.R. Jennings, C.W.N. Spearman, R.E. Kirsch and E.G. Shephard (South Africa) 82

Identification, characterisation and cDNA cloning of two caseins from the common brushtail possum (*Trichosurus vulpecula*)
M.R. Ginger, C.P. Piotte, D.E. Otter and M.R. Grigor (New Zealand) 92

Interaction of 75–106 actin peptide with myosin subfragment-1 and its trypsin modified derivative
J.-P. Labbé, S. Chamayou and Y. Benyamin (France) 105

Quercetin inhibited DNA synthesis and induced apoptosis associated with increase in c-*fos* mRNA level and the upregulation of $p21^{WAF1/CIP1}$ mRNA and protein expression during liver regeneration after partial hepatectomy
K. Iwao and I. Tsukamoto (Japan) 112

Active site characterization of the exo-*N*-acetyl-β-D-glucosaminidase from thermotolerant *Bacillus* sp. NCIM 5120: involvement of tryptophan, histidine and carboxylate residues in catalytic activity
B. Amutha, J.M. Khire and M.I. Khan (India) 121

Structure of the glucan-binding sugar chain of Tip1p, a cell wall protein of *Saccharomyces cerevisiae*
T. Fujii, H. Shimoi and Y. Iimura (Japan) 133

Enzymatic properties and deduced amino acid sequence of a high-alkaline pectate lyase from an alkaliphilic *Bacillus* isolate
T. Kobayashi, Y. Hatada, N. Higaki, D.D. Lusterio, T. Ozawa, K. Koike, S. Kawai and S. Ito (Japan) 145

Induction of metalloelastase mRNA in murine peritoneal macrophages by diethylmaleate
T. Kawane, J.Q. Hou, H. Sato, Y. Sugita, S. Bannai and T. Ishii (Japan) 155

In vitro cytotoxicity of poly(amidoamine)s: relevance to DNA delivery
I.R.C. Hill, M.C. Garnett, F. Bignotti and S.S. Davis (Italy, UK) 161

Reduced glutathione accelerates the oxidative damage produced by sodium *n*-propylthiosulfate, one of the causative agents of onion-induced hemolytic anemia in dogs
O. Yamato, M. Hayashi, E. Kasai, M. Tajima, M. Yamasaki and Y. Maede (Japan) 175

Liver uptake and hepato-biliary transfer of galactosylated proteins in rats are determined by the extent of galactosylation
F. Staud, M. Nishikawa, Y. Takakura and M. Hashida (Japan) 183

Effects of osmotic stress on *Methanococcus thermolithotrophicus*: ^{13}C-edited ^{1}H-NMR studies of osmolyte turnover
R.A. Ciulla and M.F. Roberts (USA) 193

Subcellular distribution of selenium and Se-containing proteins in human liver
C. Chen, P. Zhang, X. Hou and Z. Chai (People's Republic of China) 205

Spin trapping of nitric oxide by ferro-chelates: kinetic and in vivo pharmacokinetic studies
S. Pou, P. Tsai, S. Porasuphatana, H.J. Halpern, G.V.R. Chandramouli, E.D. Barth and G.M. Rosen (USA) 216

Metabolism of aminoacyl-*p*-nitroanilides by rat mammary tissue
D.B. Shennan, F.R.C. Backwell and D.T. Calvert (UK) 227

Biotransformation of (1-phenyl)ethyl hydroperoxide with *Aspergillus niger*: a model study on enzyme selectivity and on the induction of peroxidase activity
W. Adam, Z. Lukacs, C.R. Saha-Möller and P. Schreier (Germany) 236

Copper- and zinc-containing superoxide dismutase and its gene from *Candida albicans*
C.-S. Hwang, G. Rhie, S.-T. Kim, Y.-R. Kim, W.-K. Huh, Y.-U. Baek and S.-O. Kang (South Korea) 245

Effects of high glucose on the hypoxic isolated guinea pig heart: interactions with ATP-dependent K^+ channels?
S. Gilleßen and H. Kammermeier (Germany) 256

Considerations for in vitro retinoid experiments: importance of protein interaction
I. Klaassen, R.H. Brakenhoff, S.J. Smeets, G.B. Snow and B.J.M. Braakhuis (The Netherlands) 265

Nitrite determination in human plasma and synovial fluid using reactions of nitric oxide with 3,5-dibromo-4-nitrosobenzenesulphonate (DBNBS)
N.B. Nazhat, R.A. Saadalla-Nazhat, K. Fairburn, P. Jones, D.R. Blake, B.R. Nielsen, M.C.R. Symons and P.G. Winyard (UK) 276

Cell water balance of white button mushrooms (*Agaricus bisporus*) during its post-harvest lifetime studied by quantitative magnetic resonance imaging
H.C.W. Donker and H. Van As (The Netherlands) 287

Lactation-dependent down regulation of leptin production in mouse mammary gland
N. Aoki, M. Kawamura and T. Matsuda (Japan) 298

The recombinant third domain of human alpha-fetoprotein retains the antiestrotrophic activity found in the full-length molecule
S.M. Festin, J.A. Bennett, P.W. Fletcher, H.I. Jacobson, D.D. Shaye and T.T. Andersen (USA) 307

Pulmonary clearance of adrenomedullin is reduced during the late stage of sepsis
D.A. Ornan, I.H. Chaudry and P. Wang (USA) 315

Involvement of endothelium/nitric oxide in vasorelaxation induced by purified green tea (−)epicatechin
Y. Huang, N.W.K. Chan, C.W. Lau, X.Q. Yao, F.L. Chan and Z.Y. Chen (Hong Kong) 322

A rat brain fraction and different purified peroxidases catalyzing the formation of dopaminochrome from dopamine
L. Galzigna, M.P. Schiappelli, A. Rigo and M. Scarpa (Italy) 329

Dietary soybean protein moderates the deleterious disturbance of lipid metabolism caused by exogenous oxidized cholesterol in rats
K. Osada, T. Inoue, S. Nakamura and M. Sugano (Japan) 337

Folate and homocysteine metabolism in copper-deficient rats
T. Tamura, K.H. Hong, Y. Mizuno, K.E. Johnston and C.L. Keen (USA) 351

Hydroxopentaamminechromium(III) promoted phosphorylation of bovine serum albumin: its potential implications in understanding biotoxicity of chromium
K. Balamurugan, C. Vasant, R. Rajaram and T. Ramasami (India) 357

Cellular balance of glutathione levels through the expression of γ-glutamylcysteine synthetase and glutathione thiol transferase genes in human hepatic cells resistant to a glutathione poison
T. Tanaka, T. Uchiumi, M. Nomoto, K. Kohno, T. Kondo, K. Nishio, N. Saijo and M. Kuwano (Japan) 367

Physicochemical characterization of *Cajanus cajan* lectin: effect of pH and metal ions on lectin carbohydrate interaction
S. Ahmad, R.H. Khan and A. Ahmad (India) 378

Effect of interferon-γ on purine catabolic and salvage enzyme activities in rats
Y. Moriwaki, T. Yamamoto, J. Yamakita, S. Takahashi, Z. Tsutsumi and K. Higashino (Japan) 385

Secretion of prosaposin, a multifunctional protein, by breast cancer cells
W.M. Campana, J.S. O'Brien, M. Hiraiwa and S. Patton (USA) 392

Metabolic capacity for L-citrulline synthesis from ammonia in rat isolated colonocytes
B. Mouillé, E. Morel, V. Robert, G. Guihot-Joubrel and F. Blachier (France) 401

Partial nuclear localization of a bovine phosphoprotein, BCNT, that includes a region derived from a LINE repetitive sequence in Ruminantia
S. Iwashita, T. Nobukuni, S. Tanaka, M. Kobayashi, T. Iwanaga, H.B. Tamate, T. Masui, I. Takahashi and K. Hashimoto (Japan) 408

Erratum

Erratum to: "Amino acid residues involved in the catalytic mechanism of NAD-dependent glutamate dehydrogenase from *Halobacterium salinarum*"
F. Pérez-Pomares, J. Ferrer, M. Camacho, C. Pire, F. LLorca and M.J. Bonete (Spain) 417

Cumulative Contents, Vol. 1427 418

Author Index 421